

TABLA APLICACIÓN DE BUJIA

2 TIEMPOS MERCURY & MARINER

Model	Country	Serial # Range	Spark Plug Mercury	Spark Plug Manufacturer	(resistor) Spark Plug	(resistor) Spark Plug Manufacturer	Gap
2.2	USA	8075603 and up	N/A	N/A	19796	NGK BPR6HS-10	.040
2.5	.	0A855097 and up	12127	NGK BP6HS-10	19796	NGK BPR6HS-10	.040
3	.	0A855097 and up	N/A	N/A	19796	NGK BPR6HS-10	.040
3.3	.	0D901217 and up	12127	NGK BP6HS-10	19796	NGK BPR6HS-10	.040
3.5	USA	6202173 and up	12127	NGK BP6HS-10	19796	NGK BPR6HS-10	.040
3.6	USA	5404657 and up	97184	NGK BP7HS-10	17719547	NGK BPR7HS-10	.040
3.6	BEL	9252831 and up	97184	NGK BP7HS-10	17719547	NGK BPR7HS-10	.040
3.6	CAN	7145388 and up	97184	NGK BP7HS-10	17719547	NGK BPR7HS-10	.040
3.9 (39)	.	1655013-2498135	84675M	NGK B5HS	N/A	N/A	.025
4 (40)(1 cyl.)	.	2498136-2771621	84675M	NGK B5HS	N/A	N/A	.030
4 (40)(1 cyl.)	.	2771622-0A809600	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
4 (40)(2 cyl.) Gnat	BEL	9075839-9256980	82370M 1	NGK B6HS	813472	NGK BR6HS	.050
4 (40)(2 cyl.) Gnat	CAN	7085673-7146487	82370M 1	NGK B6HS	813472	NGK BR6HS	.050
4 (40)(2 cyl.)	USA	5589202-5595531	97184	NGK BP7HS-10	17719547	NGK BPR7HS-10	.040
4 (40)(2 cyl.)	AUS	8065265-8068064	97184	NGK BP7HS-10	17719547	NGK BPR7HS-10	.040
4 (40)(2 cyl.)	BEL	9256981-9258280	97184	NGK BP7HS-10	17719547	NGK BPR7HS-10	.040
4 (40)(2 cyl.)	CAN	7146488-7143687	97184	NGK BP7HS-10	17719547	NGK BPR7HS-10	.040
4 (1 cyl.)	USA	0A809601 and up	97184	NGK BP7HS-10	17719547	NGK BPR7HS-10	.040
4 (1 cyl.)	BEL	9477830 and up	97184	NGK BP7HS-10	17719547	NGK BPR7HS-10	.040
4.5 (45)(1 cyl.)	USA	4107220-0A809600	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
4.5 (45)(1 cyl.)	AUS	8026540 and up	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
4.5 (45)(1 cyl.)	BEL	9072179-9477829	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
4.5 (45)(1 cyl.)	CAN	7045758 and up	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
5 (1 cyl.)	USA	0A809601 and up	97184	NGK BP7HS-10	17719547	NGK BPR7HS-10	.040
5 (1 cyl.)	BEL	9477830 and up	97184	NGK BP7HS-10	17719547	NGK BPR7HS-10	.040
6 (60)	USA	1408611-2126763	813469	NGK B6S	N/A	N/A	.025
6 (60)	CAN	1958792-2096170	813469	NGK B6S	N/A	N/A	.025
6 (60)(60J)	USA	2126764 and up	82370M 1	NGK B6HS	813472	NGK BR6HS	.030
6 (60)(60J)	CAN	2096171 and up	82370M 1	NGK B6HS	813472	NGK BR6HS	.030
6	USA	0A197112-0T800749	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
6	BEL	9461526 and up	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040

7.5 (75)	.	2529895-3801457	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
7.5 (75)	USA	3801458-4851692	97180	NGK BUHW	14103550	NGK BUZHW	.
7.5 (75)	AUS	8015315-8051349	97180	NGK BUHW	14103550	NGK BUZHW	.
7.5 (75)	BEL	9043194-9181725	97180	NGK BUHW	14103550	NGK BUZHW	.
7.5 (75)	CAN	7028598-7111897	97180	NGK BUHW	14103550	NGK BUZHW	.
7.5 (75)	USA	4851693-5226934	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
7.5 (75)	AUS	8051350-8058019	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
7.5 (75)	BEL	9181726-9219255	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
7.5 (75)	CAN	7111898-7136037	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
7.5	USA	5206550 and up	97186	NGK B9HS-10	813418	NGK BR9HS-10	.040
7.5	AUS	8057545 and up	97186	NGK B9HS-10	813418	NGK BR9HS-10	.040
7.5	BEL	9217756 and up	97186	NGK B9HS-10	813418	NGK BR9HS-10	.040
7.5	CAN	7125388 and up	97186	NGK B9HS-10	813418	NGK BR9HS-10	.040
8	USA	0A197112 and up	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
8	BEL	9461526 and up	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
9.8 (110)	.	1470349-2098351	813469	NGK B6S	N/A	N/A	.025
9.8 (110)	.	2098352-2798056	82371M	NGK B7HS	N/A	N/A	.030
9.8 (110)	.	2798057-3795657	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
9.8 (110)	USA	3795658-4839253	97180	NGK BUHW	14103550	NGK BUZHW	.
9.8 (110)	AUS	8015040-8050624	97180	NGK BUHW	14103550	NGK BUZHW	.
9.8 (110)	BEL	9041439-9165304	97180	NGK BUHW	14103550	NGK BUZHW	.
9.8 (110)	CAN	7027323-7111347	97180	NGK BUHW	14103550	NGK BUZHW	.
9.8 (110)	USA	4839254-5206549	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
9.8 (110)	AUS	8050625-8057544	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
9.8 (110)	BEL	9165303-9217755	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
9.8 (110)	CAN	7111348-7125387	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
9.8	USA	5206550 and up	97186	NGK B9HS-10	813418	NGK BR9HS-10	.040
9.8	AUS	8057545 and up	97186	NGK B9HS-10	813418	NGK BR9HS-10	.040
9.8	BEL	9217756 and up	97186	NGK B9HS-10	813418	NGK BR9HS-10	.040
9.8	CAN	7125388 and up	97186	NGK B9HS-10	813418	NGK BR9HS-10	.040
9.9	USA	0A197112-0G112449	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
9.9	BEL	9461526-9831799	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
9.9	USA	0G112450 and up	19424	NGK BP8HS-15	14814568	NGK BPZ8HS-15	.060
9.9	BEL	9831800 and up	19424	NGK BP8HS-15	14814568	NGK BPZ8HS-15	.060

10 (100)	.	1290910-1499331	813469	NGK B6S	N/A	N/A	.025
10 (XR10/SEA PRO 10)	USA	0D038000 and up	19424	NGK BP8HS-15	14814568	NGK BPZ8HS-15	.060
10 (XR10/SEA PRO 10)	BEL	9596000 and up	19424	NGK BP8HS-15	14814568	NGK BPZ8HS-15	.060
10 Magnum/Marathon	USA	0D038000 and up	19424	NGK BP8HS-15	14814568	NGK BPZ8HS-15	.060
10 Magnum/Marathon	BEL	9596000 and up	19424	NGK BP8HS-15	14814568	NGK BPZ8HS-15	.060
15 (150)	.	1290910-1499331	813469	NGK B6S	N/A	N/A	.025
15	USA	0B292414 and up	19424	NGK BP8HS-15	14814568	NGK BPZ8HS-15	.060
15	BEL	9542620 and up	19424	NGK BP8HS-15	14814568	NGK BPZ8HS-15	.060
15 Sea Pro/Marathon	USA	0G044365-0G437999	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
15 Sea Pro/Marathon	USA	0G438000 and up	19424	NGK BP8HS-15	14814568	NGK BPZ8HS-15	.060
15 Sea Pro/Marathon	BEL	9927000 and up	19424	NGK BP8HS-15	14814568	NGK BPZ8HS-15	.060
15 Sea Pro XD	BEL	9927000 and up	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
15 (Super 15)	USA	0B238464 and up	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
15 (Super 15)	BEL	9507381 and up	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
15 (Super 15)	CAN	0A730007 and up	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
18 (18, 18XD)	USA	5837437 and up	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
18 (18, 18XD)	AUS	8071973 and up	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
18 (18, 18XD)	BEL	9308306 and up	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
20 (200)	.	1290910-1499331	813469	NGK B6S	N/A	N/A	.025
20 (200)	.	1558310-2094830	813469	NGK B6S	N/A	N/A	.025
20 (200)	.	2094831-2827676	82371M	NGK B7HS	N/A	N/A	.030
20 (20, 200)	USA	2827677-6443972	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
20 (20, 200)	AUS	8006265 and up	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
20 (20, 200)	BEL	9016254-9415100	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
20 (20, 200)	CAN	7012358-7209532	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
20 (20, 20XD)	USA	6443973-0T800749	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
20 (20, 20XD)	BEL	9415101 and up	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
20 (20, 20XD)	CAN	7209533 and up	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
20 JET	USA	5705532 and up	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
20 JET	AUS	8073158 and up	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
20 JET	BEL	9315316 and up	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
20 JET	CAN	7166928 and up	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
25 (250)	.	1290910-1499331	813469	NGK B6S	N/A	N/A	.025
25 (25, 25XD, 20 JET)	USA	5705532 and up	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040

25 (25, 25XD, 20 JET)	AUS	8073158 and up	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
25 (25, 25XD, 20 JET)	BEL	9315316 and up	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
25 (25, 25XD, 20 JET)	CAN	7166928 and up	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
25 LIGHTNING(3 cyl)	USA	0E268781 and up	896323	Champion L82C	874	Champion RL82C	.035
30 (300)	.	1271884-1960826	813469	NGK B6S	N/A	N/A	.025
30 (2 cyl.)644cc	USA	0G053314-0T598999	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
30 (2 cyl.)644cc	BEL	9854537-0P206999	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
30 (Lightning)430cc	USA	0G575500 and up	41263M	NGK B7HS-10	828942	NGK BR7HS-10	.040
30 JET (4 cylinder)	USA	0C159200-0G589999	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
30 JET (4 cylinder)	BEL	9570790-9973099	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
30 JET (3 cylinder)	USA	0G590000-0T178499	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
30 JET (3 cylinder)	BEL	9973100-0P094499	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
35 (350, 35A)	.	1271884-1960826	813469	NGK B6S	N/A	N/A	.025
35 (350)	.	1960827-2097831	813413	NGK B7S	N/A	N/A	.025
35 (350)	.	2097832-2874703	82371M	NGK B7HS	N/A	N/A	.030
35	USA	6445653 and up	97180	NGK BUHW	14103550	NGK BUZHW	.
35	BEL	9384476 and up	97180	NGK BUHW	14103550	NGK BUZHW	.
35	CAN	7209608 and up	97180	NGK BUHW	14103550	NGK BUZHW	.
40 (400)	.	1279685-1476509	813469	NGK B6S	N/A	N/A	.025
40 (40, 400, 402)	USA	2874704-0G053313	97180	NGK BUHW	14103550	NGK BUZHW	.
40 (40, 400, 402)	AUS	8002335 and up	97180	NGK BUHW	14103550	NGK BUZHW	.
40 (40, 400, 402)	BEL	3339688 and up	97180	NGK BUHW	14103550	NGK BUZHW	.
40 (40, 400, 402)	CAN	3340783 and up	97180	NGK BUHW	14103550	NGK BUZHW	.
40 (2 cyl.)	USA	0G053314 and up	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
40 (3 cyl.)	USA	0G531301 and up	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
40 (3 cyl.)	BEL	9973100 and up	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
40 (4 cyl.)	USA	0C159200 and up	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
40 (4 cyl.)	BEL	9570790 and up	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
40 JET	USA	0T178500 and up	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
40 JET	BEL	0P094500 and up	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
45 (450)	.	1476510-1531568	813469	NGK B6S	N/A	N/A	.025
45 (4 cyl.)	USA	5531630 and up	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
45 (4 cyl.)	AUS	8063985 and up	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
45 (4 cyl.)	BEL	9248006 and up	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.

45 (4 cyl.)	CAN	7143688 and up	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
45 JET	USA	0G760300-0T129554	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
45 JET	BEL	0P017000-0P094499	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
50 (500)	USA	1421113-2097444	813469	NGK B6S	N/A	N/A	.025
50 (500)	CAN	1770179-2116317	813469	NGK B6S	N/A	N/A	.025
50 (500)	USA	2097445-4357639	97180	NGK BUHW	14103550	NGK BUZHW	.
50 (500)	AUS	2863739-8029514	97180	NGK BUHW	14103550	NGK BUZHW	.
50 (500)	BEL	9001581-9107213	97180	NGK BUHW	14103550	NGK BUZHW	.
50 (500)	CAN	2116318-7068997	97180	NGK BUHW	14103550	NGK BUZHW	.
50 (50, 500)(4 cyl.)	USA	4357640 and up	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
50 (50, 500)(4 cyl.)	AUS	8030090 and up	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
50 (50, 500)(4 cyl.)	BEL	9107214 and up	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
50 (50, 500)(4 cyl.)	CAN	7068998 and up	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
50 (3 cyl.)	USA	6428681-0D000749	97180	NGK BUHW	14103550	NGK BUZHW	.
50 (3 cyl.)	BEL	9385911-9683054	97180	NGK BUHW	14103550	NGK BUZHW	.
50 (3 cyl.)	CAN	7208333 and up	97180	NGK BUHW	14103550	NGK BUZHW	.
50 (3 cyl.)	USA	0D000750 and up	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
50 (3 cyl.)	BEL	9683055 and up	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
55 (3 cyl.)	USA	0D000750 and up	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
55 (3 cyl.)	BEL	9741042 and up	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
60 (600)	.	1303411-1542744	813469	NGK B6S	N/A	N/A	.025
60 (3 cyl.)	USA	6428681-0D000749	97180	NGK BUHW	14103550	NGK BUZHW	.
60 (3 cyl.)	BEL	9385911-9683054	97180	NGK BUHW	14103550	NGK BUZHW	.
60 (3 cyl.)	CAN	7208333 and up	97180	NGK BUHW	14103550	NGK BUZHW	.
60 (3 cyl.)	USA	0D000750 and up	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
60 (3 cyl.)	BEL	9683055 and up	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
65 (650)(4 cyl.)	.	1542745-2119748	813413	NGK B7S	N/A	N/A	.025
65 (650S)(4 cyl.)	.	2119749-2309310	82371M	NGK B7HS	N/A	N/A	.030
65 (650SS)(4 cyl.)	.	2119749-2309310	97180	NGK BUHW	14103550	NGK BUZHW	.
65 (650)(3 cyl.)	USA	3293184-4571651	97180	NGK BUHW	14103550	NGK BUZHW	.
65 (650)(3 cyl.)	AUS	8006640 and up	97180	NGK BUHW	14103550	NGK BUZHW	.
65 (650)(3 cyl.)	BEL	9020074-9135824	97180	NGK BUHW	14103550	NGK BUZHW	.
65 (650)(3 cyl.)	CAN	7013633-7087822	97180	NGK BUHW	14103550	NGK BUZHW	.
65 JET	USA	0D283222 and up	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.

65 JET	BEL	9793577 and up	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
70 (700)	.	1296411-1566239	813469	NGK B6S	N/A	N/A	.025
70 (3 cyl.)	USA	4571652-6428680	97180	NGK BUHW	14103550	NGK BUZHW	.
70 (3 cyl.)	AUS	8042350 and up	97180	NGK BUHW	14103550	NGK BUZHW	.
70 (3 cyl.)	BEL	9135825-9385910	97180	NGK BUHW	14103550	NGK BUZHW	.
70 (3 cyl.)	CAN	7087823-7208332	97180	NGK BUHW	14103550	NGK BUZHW	.
70 (3 cyl.)	USA	0A996142-0C221999	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
70 (3 cyl.)	BEL	9483121-9589038	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
75 (4 cyl.)	USA	6432907 and up	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
75 (4 cyl.)	BEL	9393856 and up	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
75 (4 cyl.)	CAN	7208573 and up	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
75 (3 cyl.)	USA	0C222000 and up	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
75 (3 cyl.)	BEL	9589039 and up	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
75 (3 cyl.)(1.5L Optimax)	USA	0T980000 and up	N/A	N/A	892567001	NGK IZFR5J	.032
80 (800)(6 cyl.)	.	1335465-1566239	813413	NGK B7S	N/A	N/A	.025
80 (800)(4 cyl.)	.	2559001-3493912	97180	NGK BUHW	14103550	NGK BUZHW	.
80 (80, 800)(4 cyl.)	USA	4831999-6432900	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
80 (80, 800)(4 cyl.)	AUS	8050200 and up	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
80 (80, 800)(4 cyl.)	BEL	9177626-9393855	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
80 (80, 800)(4 cyl.)	CAN	7110998-7208572	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
80 (3 cyl.)	USA	0A996142-0C221999	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
80 (3 cyl.)	BEL	9483121-9589038	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
80 JET	USA	0D283222 and up	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
80 JET	BEL	9793577 and up	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
85 (850)(6 cyl.)	.	1460999-1766823	813413	NGK B7S	N/A	.	.025
85 (850)(4 cyl.)	USA	3493913-4831998	97180	NGK BUHW	14103550	NGK BUZHW	.
85 (850)(4 cyl.)	AUS	8005440-8050199	97180	NGK BUHW	14103550	NGK BUZHW	.
85 (850)(4 cyl.)	BEL	9011604-9177625	97180	NGK BUHW	14103550	NGK BUZHW	.
85 (850)(4 cyl.)	CAN	7010108-7110997	97180	NGK BUHW	14103550	NGK BUZHW	.
90 (900)	.	1766824-1869775	813413	NGK B7S	N/A	N/A	.025
90 (90, 900)(6 cyl.)	USA	4845301 and up	97180	NGK BUHW	14103550	NGK BUZHW	.
90 (90, 900)(6 cyl.)	AUS	8060545 and up	97180	NGK BUHW	14103550	NGK BUZHW	.
90 (90, 900)(6 cyl.)	CAN	7111698 and up	97180	NGK BUHW	14103550	NGK BUZHW	.
90 (3 cyl.)	USA	0A996142 and up	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.

90 (3 cyl.)	BEL	9483121 and up	97182	NGK BUHW-2	14103570	NGK BUZHW-2	.
90 (3 cyl.)(1.5L Optimax)	USA	0T801000 and up	N/A	N/A	892567001	NGK IZFR5J	.032
95 (950)	.	1869776-1962186	82371M	NGK B7HS	N/A	N/A	.030
95 (950)	.	1962187-2318585	97180	NGK BUHW	14103550	NGK BUZHW	.
100 (1000)	.	1464949-2318585	813413	NGK B7S	N/A	N/A	.025
100 (1000SS/1000BP)	.	2318586-3253111	97180	NGK BUHW	14103550	NGK BUZHW	.
100 (4 cyl.)	USA	0B209468-0G960499	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
100 (4 cyl.)	BEL	9523034-0P058999	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
110 (1100)	.	1870204-1962661	82371M	NGK B7HS	N/A	N/A	.030
110 (1100)	.	1962662-2314955	97180	NGK BUHW	14103550	NGK BUZHW	.
115 (115, 1150)(6 cyl.)	USA	2836019 and up	97180	NGK BUHW	14103550	NGK BUZHW	.
115 (115, 1150)(6 cyl.)	AUS	8008665 and up	97180	NGK BUHW	14103550	NGK BUZHW	.
115 (115, 1150)(6 cyl.)	CAN	7010763 and up	97180	NGK BUHW	14103550	NGK BUZHW	.
115 (4 cyl.)	USA	0C100000 and up	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
115 (4 cyl.)	BEL	9559771 and up	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
115 (3 cyl.)(1.5L Optimax)	USA	0T801000 and up	N/A	N/A	892567001	NGK IZFR5J	.032
125 (1250)(6 cyl.)	.	2314956-3253111	97180	NGK BUHW	14103550	NGK BUZHW	.
125 (4 cyl.)	USA	0D283222 and up	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
125 (4 cyl.)	BEL	9793577 and up	816737 2	NGK BP8H-N-10	816837 2	NGK BPZ8H-N-10	.040
135 (1350)(6 cyl.)	.	2839369-3293233	97180	NGK BUHW	14103550	NGK BUZHW	.
140 (140, 1400)(6 cyl.)	USA	3293234 and up	97180	NGK BUHW	14103550	NGK BUZHW	.
140 (140, 1400)(6 cyl.)	AUS	8052650 and up	97180	NGK BUHW	14103550	NGK BUZHW	.
140 (140, 1400)(6 cyl.)	CAN	7112773 and up	97180	NGK BUHW	14103550	NGK BUZHW	.
150 (1500)(6 cyl.)	USA	3502806-4865677	97180	NGK BUHW	14103550	NGK BUZHW	.
150 (1500)(6 cyl.)	AUS	8005615-8052649	97180	NGK BUHW	14103550	NGK BUZHW	.
150 (1500)(6 cyl.)	CAN	7010533-7112772	97180	NGK BUHW	14103550	NGK BUZHW	.
V-135	USA	0A904646 and up	13686 2	NGK BU8H	14103568	NGK BUZ8H	.
V-135 DFI	USA	0G590000 and up	N/A	N/A	889597001	NGK IZFR5G	.032
V-150 (150, 1500) Carb	USA	4868998-0G960499	13686 2	NGK BU8H	14103568	NGK BUZ8H	.
V-150 (150, 1500) Carb	USA	0G960500 and up	N/A	N/A	14814548	NGK BPZ8HS-10	.040
V-150 EFI	USA	0D082000-0G960499	13686 2	NGK BU8H	14103568	NGK BUZ8H	.
V-150 EFI	USA	0G960500 and up	N/A	N/A	14814548	NGK BPZ8HS-10	.040
V-150 (XR2/4/6/Magnum II/III)	USA	4868998-0G960499	13686 2	NGK BU8H	14103568	NGK BUZ8H	.
V-150 (XR2/4/6/Magnum II/III)	USA	0G960500 and up	N/A	N/A	14814548	NGK BPZ8HS-10	.040

V-150 DFI	USA	0G590000 and up	N/A	N/A	889597001	NGK IZFR5G	.032
V-175 (175, 1750) Carb	USA	4301235-0G960499	13686 2	NGK BU8H	14103568	NGK BUZ8H	.
V-175 (175, 1750) Carb	AUS	8058870 and up	13686 2	NGK BU8H	14103568	NGK BUZ8H	.
V-175 EFI	USA	0D000750-0G960499	13686 2	NGK BU8H	14103568	NGK BUZ8H	.
V-175 EFI	USA	0G960500-0T800999	N/A	N/A	14814548	NGK BPZ8HS-10	.040
V-175 DFI	USA	0T178500 and up	N/A	N/A	889597001	NGK IZFR5G	.032
V-200 (200, 2000) Carb	USA	4839034-0G960499	13686 2	NGK BU8H	14103568	NGK BUZ8H	.
V-200 (200, 2000) Carb	AUS	8061595-8065672	13686 2	NGK BU8H	14103568	NGK BUZ8H	.
V-200 (200, 2000) Carb	USA	0G960500 and up	N/A	N/A	14814548	NGK BPZ8HS-10	.040
V-200 EFI	USA	0C100861-0C291520	N/A	N/A	14103568	NGK BUZ8H	.
V-200 EFI	USA	0C291521-0G960499	13686 2	NGK BU8H	14103568	NGK BUZ8H	.
V-200 EFI (2.5L)	USA	0G960500 and up	N/A	N/A	14814548	NGK BPZ8HS-10	.040
V-200 DFI	USA	0G386496 and up	N/A	N/A	889597001	NGK IZFR5G	.032
V-220 Laser	USA	0B117316 and up	N/A	N/A	14103568	NGK BUZ8H	.
V-225 (2.4L)	USA	5628028 and up	13686 2	NGK BU8H	14103568	NGK BUZ8H	.
V-225 (3.0L)Carb	USA	0D280813-0G437999	N/A	N/A	816837 2	NGK BPZ8H-N-10	.040
V-225 (3.0L)Carb	USA	0G438000 and up	N/A	N/A	941	Champion QL77CC	.035
V-225 Sea Pro & Marathon	USA	0G245605 and up	N/A	N/A	941	Champion QL77CC	.035
V-225 EFI(3.0L)	USA	0G129222 and up	N/A	N/A	941	Champion QL77CC	.035
V-225 DFI	USA	0G590000 and up	N/A	N/A	889597001	NGK IZFR5G	.032
V-225 DFI (DTS)	USA	0G599000 and up	N/A	N/A	889597001	NGK IZFR5G	.032
V-250 (3.4L)	USA	0C101891 and up	13686 2	NGK BU8H	14103568	NGK BUZ8H	.
V-250 EFI (3.0L)	USA	0G129222 and up	N/A	N/A	941	Champion QL77CC	.035
V-275 (3.4L)	USA	0C101891 and up	13686 2	NGK BU8H	14103568	NGK BUZ8H	.
V-300 (3.4L)	USA	5611648 and up	13686 2	NGK BU8H	14103568	NGK BUZ8H	.